



沃肯科技有限公司



Web:Taiwan: www.woken.com.tw

China:www.wokentech.com

E-Mail:service_woken@woken.com.tw

Notch Filter Specification

Features:

- a) Low VSWR
- b) Low Insertion Loss
- c) High Performance

Specifications

Electrical	
Part No.	EWT-54-0099
Description	Notch/Bandreject Filter
Notch Band	380~430MHz
Notch Depth	45dBc
Passband 1	DC~300 MHz (Min.)
Passband 1 Insertion Loss	1.0dB (Max.)
Passband 1 VSWR	1.8:1(Max.) 1.5:1(Goal)
Passband 2	650~3,000MHz(Min.)
Passband 2 Insertion Loss	1.5dB(Max.)
Passband 2 VSWR	2.0 : 1 (Max.)
Power Handling	10W CW(Max.)
Termination	50 Ohm
Connector	SMA Female
Mechanical	
Outline	990-01279

** All Specification Changed Without Notification. **

1. DIMENSIONING/TOLERANCING PER ANSI Y14.5M-1994.



沃肯科技有限公司




Web:Taiwan: www.woken.com.tw

China:www.wokentech.com

E-Mail:service_woken@woken.com.tw

Test Report



Form: 999-00049 Rev. -
(ECN # 1457)

EWT Part Number: EWT-54-0099

Serial Number: R1

S.O. Number: 23275

Cust. Part Number: N/A

Technician: D. J. J.

Date: May 21, 2014

Equipment I.D. MY46100624



Q.C.




沃肯科技有限公司



Web:Taiwan: www.woken.com.tw

China:www.wokentech.com

E-Mail:service_woken@woken.com.tw



Form: 999-00049 Rev. -
(ECN # 1457)

EWT Part Number: EWT-54-0099
 Serial Number: R1
 S.O. Number: 23275

Cust. Part Number: N/A
 Technician: D. J. J.
 Date: May 21, 2014
 Equipment I.D. MY46100624



Q.C.