



沃肯科技有限公司



Web:Taiwan: www.woken.com.tw

China:www.wokentech.com

E-Mail:service_woken@woken.com.tw

Lowpass Filter Specification Features:

- a) Low VSWR
- b) Low Insertion Loss
- c) High Performance



Specifications

Electrical	
Part No.	EWT-56-0650
Description	Lowpass Filter
Passband	DC~4,500MHz
Cutoff Frequency	4,500MHz
Passband Insertion Loss	1.5dB(Max.) 1.0dB(Goal)
VSWR	2.0:1(Max.)
Rejection	40dB (Min.)@ 5,220MHz 55dB(Min.)@5,580~11,000MHz
Power Handling	2W CW (Max.)
Termination	50Ohm
Connector	Input:SMA Female Output:SMA Male
Enviromental	
Operating Temprature	-10~+60°C
Mechanical	
Approx. Size	1.25 to 1.5" x 0.4" x 0.4"

** All Specification Changed Without Notification. **




沃肯科技有限公司



Web:Taiwan: www.woken.com.tw

China:www.wokentech.com


E-Mail:service_woken@woken.com.tw



Form: 999-00049 Rev. -
(ECN # 1457)

EWT Part Number: EWT-56-0650
Serial Number: PI
S.O. Number: 23015

Cust. Part Number: N/A
Technician: M. A.
Date: May 31, 2013
Equipment I.D. MY45001414



Q.C.




沃肯科技有限公司



Web: Taiwan: www.woken.com.tw

China: www.wokentech.com


E-Mail: service_woken@woken.com.tw



Form: 999-00049 Rev. -
(ECN # 1457)

EWT Part Number: EWT-56-0650
Serial Number: 01
S.O. Number: 23015

Cust. Part Number: N/A
Technician: M. A.
Date: May 31, 2013
Equipment I.D. MY45001414



Q.C.